

BTRI Bibliography

Published Papers and Graduate Theses from BTRI and other NYSG funded brown tide projects since 1996. (Updated: September 17, 2003)

- Bailey, C.J. and Andersen, R.A. (1999). Analysis of clonal cultures of the brown tide algae *Aureococcus* and *Aureoumbra* (Pelagophyceae) using 18S rRNA, *rbcL* and RUBISCO spacer sequences. *Journal of Phycology*, 35: 570-574.
- Boissonneault-Cellineri, K.R., M. Mehta, D.J. Lonsdale and D.A. Caron. (2001). Microbial food web interactions in two Long Island embayments. *Aquatic Microbial Ecology*, 26:139-155.
- Boyer, G. L., and L. Brand (1998). Micro nutrient availability and trace metal chelator interactions. *Physiological Ecology of Harmful Algal Blooms*, D.M. Anderson; A.D. Cembella; G. M. Hallegraf, eds., Springer-Verlag, Heidelberg. pages 489-508.
- Boyer, G. L., D. B. Szmyr, and J. A. Alexander (1999). Iron and nitrogen nutrition in the brown tide organism *Aureococcus anophagefferens*. In: J.L. Martin and K. Haya (eds) Proceedings of the Sixth Canadian Workshop on Harmful Marine Algae. Can Tech Rep. Fish. *Aquatic Science*, 2261:11-13.
- Breuer, E., S.A. Sañudo-Wilhelmy and R. A. Aller. (1999). Distributions of trace metals and dissolved organic carbon in an estuary with restricted river flow and a brown tide. *Estuaries*, 22 603-615.
- Bricelj, V.M. and D.J. Lonsdale (1997) *Aureococcus anophagefferens*: Causes and ecological consequences of brown tides in U.S. mid-Atlantic coastal waster. *Limnology and Oceanography* 42(5): 1023-1038.
- Bricelj, V.M., S.P. MacQuarrie, and R.A. Schaffner (2001). Differential effects of *Aureococcus anophagefferens* isolates ("brown tide") in unialgal and mixed suspensions on bivalve feeding. *Marine Biology*, 139(4): 605-615.
- Giner, J.-L., and G.L. Boyer (1998). Sterols of the brown tide alga *Aureococcus anophagefferens*. *Phytochemistry*, 48:475-477.
- Giner, J.-L., J.A. Faraldo, and G.L. Boyer (2003) Unique Sterols of the toxic dinoflagellate *Karenia brevis* (Dinophyceae): A defensive function for unusual marine sterols?. *Journal of Phycology* 39:315-319
- Giner, J.-L. and X. Li, (2000) Stereospecific Synthesis of 24-Propylchlesterol Isolated from the Texas Brown Tide. *Tetrahedron*, 56(49):9575-9580.
- Giner, J.-L., X. Li, and G.L. Boyer (2001) Sterol composition of *Aureoumbra legunensis*, the Texas brown tide alga. *Phytochemistry*, 57:787-789.

BTRI Bibliography*Published Papers and Theses to Date*

- Gobler, C.J. (1999). A biogeochemical investigation of *Aureococcus anophagefferens* blooms: Interactions with organic nutrients and trace metals. *Ph.D. Dissertations*, Stony Brook University, NY, 179 pages.
- Gobler, C.J., and S.A. Sañudo-Wilhelmy (2001). Temporal variability of groundwater seepage and brown tide bloom in a Long Island embayment. *Marine Ecology Progress Series*, 217:299-309.
- Gobler, C.J., D.A. Hutchins, N.S. Fisher, E.M. Coper and S.A. Sañudo-Wilhelmy (1997). Release and bioavailability of C, N, P and Fe following viral lysis of a marine chrysophyte. *Limnology and Oceanography*, 42(7): 1492-1504
- Gobler, C.J., D.A. Hutchins, N.S. Fisher, E.M. Coper, and S.A. Sañudo-Wilhelmy. (1997). Cycling and bioavailability of elements released by viral lysis of a marine phytoplankter. *Limnology and Oceanography*, 42, 1492-1504.
- Gobler, C.J., J.R. Donat, J.A. Consolve III, and S.A. Sañudo-Wilhelmy. (2002). Physicochemical speciation of iron during coastal algal blooms. *Marine Chemistry*, 77:71-89.
- Gobler, C.J., M.J. Renaghan, and N.J. Buck. (2002). Impacts of nutrients and grazing mortality on the abundance of *Aureococcus anophagefferens* during a New York brown tide bloom. *Limnology and Oceanography*, 47(1):129-141.
- Gobler, C.J., S.A. Sañudo-Wilhelmy (2001). Effects of organic carbon, organic nitrogen, inorganic nutrients, and iron additions on the growth of phytoplankton and bacteria during a brown tide bloom. *Marine Ecology Progress Series*, 209:19-34.
- Greenfield, D.I. (2002). The influence of variability in plankton community composition on the growth of juvenile hard clams *Mercenaria mercenaria* (L.) *Ph.D. Dissertation*, Stony Brook University, NY, 189 pages.
- Greenfield, D.I. and D.J. Lonsdale (2002) Mortality and growth of juvenile hard clams *Mercenaria mercenaria* during brown tide. *Marine Biology*, 141(6):1045-1050.
- Laetz, C.A (2002) Reconstructing the growth of hard clams, *Mercenaria mercenaria*, under brown tide conditions. *Master's Thesis*, Stony Brook University, NY, 57 pages.
- Lomas, M.W. (2002). Temporal and spatial dynamics of urea uptake and regeneration rates and concentrations in Chesapeake Bay. *Estuaries*, 25(3): 469-482.

BTRI Bibliography

Published Papers and Theses to Date

- Lomas, M.W., P.M. Glibert, D.A. Clougherty, D.R. Huber, J. Jones, J. Alexander, and E. Haramoto. (2001) Elevated organic nutrients ratios associated with brown tide algal blooms of *Aureococcus anophagefferens* (Pelagophyceae). *Journal of Plankton Research*, 23(12):1339-1344.
- Magaletti, E. (1998). Detection and characterization of cell cycle-related proteins in the brown tide alga *Aureococcus anophagefferens*: a potential tool for growth rate estimations. *Master's Thesis*, Stony Brook University, NY, 41 pages.
- Mehran R. (1996). Effects of *Aureococcus anophagefferens* on microzooplankton grazing and growth rates in the Peconic Bays system, Long Island NY. *Master's Thesis*, Stony Brook University, NY, 55 pages.
- Milligan, A.J. and E.M. Coper (1997). Growth and photosynthesis of the "brown tide" microalga *Aureococcus anophagefferens* in subsaturating constant and fluctuation irradiance. *Marine Ecology Progress Series*, 153:67-75.
- Mulholland, M.R., C.J. Gobler, and Lee C. (2002) Peptide hydrolysis, amino acid oxidation, and nitrogen uptake in communities seasonally dominated by *Aureococcus anophagefferens*. *Limnology and Oceanography*, 47(4): 1094-1108.
- Nichols, D.B. (1999). Iron and nitrogen utilization in the brown tide alga, *Aureococcus anophagefferens*. *Master's Thesis*, State University of New York, College of Environmental Science and Forestry, NY, 158 pages.
- Nichols, D.B., M.F. Satchwell, J.E. Alexander, N.M. Martin, M.T. Baesl, and G.L. Boyer (2000). Iron nutrition in the brown tide alga, *Aureococcus anophagefferens*: Characterization of a ferric chelate reductase activity. *Harmful Algal Blooms*, Hallegraeff, G., et al (Eds), *Intergovernmental Oceanographic Commission of UNESCO 2001*, pages 340-343.
- Schaffner, R.A. (1999). The role of suspension feeding bivalves in the initiation and control of *Aureococcus anophagefferens* blooms. *Master's Thesis*, Stony Brook University, NY, 86 pages.